Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	608	712/227.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:37
S2	1	712/227.ccls. (trac\$4 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:00
S3	2	(712/227 or 712/229).ccls. (trac\$4 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:19
54	377	(trac\$4 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:21
S5	183	(trac\$4 or monitor\$4) with secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:19
S6	163	(trac\$4 or monitor\$4) with secure near5 mode	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:20
S7	4	"712".clas. (trac\$4 or monitor\$4) with secure near5 mode	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:20
S8	343	(trac\$3 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:22
S9	397	712/227.ccls. (trac\$3 or monitor\$4)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:22
S10	134	712/227.ccls. (trac\$3 or monitor\$4) same mode	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:23
S11	1	712/227.ccls. (trac\$3 or monitor\$4) same secure near5 domain	US-PGPUB; USPAT; USOCR; DERWENT	AND .	OFF	2006/03/25 15:23

S12	1	712/227.ccls. (trac\$3 or monitor\$4) same secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:23
S13	200	712/227.ccls. (trac\$3 or monitor\$4) same access\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:24
S14	14	712/227.ccls. (trac\$3 or monitor\$4) same (limit\$4 or reduc\$4) near10 access\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:26
S15	19978	(trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S16	2202	"7"??.clas. (trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S17	1467	"7"??.clas. processor (trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S18	1040	"7"??.clas. processor (trac\$3 or monitor\$4) with secure (mode or domain)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S19	66	"7"??.clas. processor (trac\$3 or monitor\$4) with secure near2 (mode or domain)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:48
S20	1467	"7"??.clas. processor (trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:49
S21	1218	"7"??.clas. processor (trace or tracing or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:51
S22	45	"7"??.clas. processor (trace or tracing) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND ·	OFF	2006/03/25 15:52
S23	84	"7"??.clas. (trace or tracing) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:54

					, <u></u>	
S24	18	"7"??.clas. instruction near3 trace with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:59
S25	17	"7"??.clas. instruction near3 trace with (limit\$4 or restrict\$4)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:59
S26	98	712/227.ccls. instruction near5 (trace or tracing)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:28
S27	8	712/229.ccls. instruction near5 (trace or tracing)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:38
S28	43	712/227.ccls. (trace or tracing) with enable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:39
S29	14	712/227.ccls. (trace or tracing) with (disable enable)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:39
S30	17	712/227.ccls. (trace or tracing) with enable near5 bit	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:40
S31	0	(712/227.ccls. or "7"??.clas. or "3"??.clas.) (monitor\$4 near5 (domainor mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:04
S32	0	(monitor\$4 near5 (domainor mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:04
S33	1285	(monitor\$4 near5 (domainor or mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:05
S34	1192	("7"??.clas. or "3"??.clas.) (monitor\$4 near5 (domain or mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:06
S35	170	("7"??.clas. or "3"??.clas.) (monitor\$4 near5 domain) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:30

			•			
S36	23	("7"??.clas. or "3"??.clas.) (monitor\$4 near5 domain) chang\$4 near5 domain (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:10
S37	220	("7"??.clas. or "3"??.clas.) (secure near5 domain) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:30
S38	127	("7"??.clas. or "3"??.clas.) (secure near5 domain) with monitor\$4 (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:36
S39	140	("7"??.clas. or "3"??.clas.) (secure near5 domain) with monitor\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:37
S40	227	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:37
S41	227	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not "rhodes.in"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:37
S42	227	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not rhodes.in.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:38
S43	119	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not rhoads.in.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:42
S44	82	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not rhoads.in. processor	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 15:41
S45	10643	"two domains"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:55
S46	2	"712".clas. "two domains" with secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:55
S47	2	"712".clas. "two domains" same secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:56

S48	3	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains same secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:56
S49	103	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:56
S50	0	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains secur3?	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:57
S51	0	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains secure?	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:57
S52	9	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:56
S53	2	"5771390".pn.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:40
S54	2	"6581162".pn.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:40
S55	21	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains with processor	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:59
S56	11	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains with processor (secur\$2 or monitor\$3)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 12:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
· S1	608	712/227.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:37
S2	1	712/227.ccls. (trac\$4 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:00
S3	2	(712/227 or 712/229).ccls. (trac\$4 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:19
S4	377	(trac\$4 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:21
S5	183	(trac\$4 or monitor\$4) with secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:19
S6	163	(trac\$4 or monitor\$4) with secure near5 mode	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:20
S7	4	"712".clas. (trac\$4 or monitor\$4) with secure near5 mode	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:20
S8	343	(trac\$3 or monitor\$4) same secure near5 (mode or bit)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:22
S9	397	712/227.ccls. (trac\$3 or monitor\$4)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:22
S10	134	712/227.ccls. (trac\$3 or monitor\$4) same mode	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:23
S11	1	712/227.ccls. (trac\$3 or monitor\$4) same secure near5 domain	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:23

	·	r			· · · · · · · · · · · · · · · · · · ·	
S12	1	712/227.ccls. (trac\$3 or monitor\$4) same secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:23
S13	200	712/227.ccls. (trac\$3 or monitor\$4) same access\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:24
S14	14	712/227.ccls. (trac\$3 or monitor\$4) same (limit\$4 or reduc\$4) near10 access\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:26
S15	19978	(trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S16	2202	"7"??.clas. (trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S17	1467	"7"??.clas. processor (trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S18	1040	"7"??.clas. processor (trac\$3 or monitor\$4) with secure (mode or domain)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:34
S19	66	"7"??.clas. processor (trac\$3 or monitor\$4) with secure near2 (mode or domain)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:48
S20 <u>,</u>	1467	"7"??.clas. processor (trac\$3 or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:49
S21	1218	"7"??.clas. processor (trace or tracing or monitor\$4) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:51
S22	45	"7"??.clas. processor (trace or tracing) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:52
S23	84	"7"??.clas. (trace or tracing) with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:54

S24	18	"7"??.clas. instruction near3 trace with secure	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:59
S25	17	"7"??.clas. instruction near3 trace with (limit\$4 or restrict\$4)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 15:59
S26	98	712/227.ccls. instruction near5 (trace or tracing)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:28
S27	8	712/229.ccls. instruction near5 (trace or tracing)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:38
S28	43	712/227.ccls. (trace or tracing) with enable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:39
S29	14	712/227.ccls. (trace or tracing) with (disable enable)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:39
S30	17	712/227.ccls. (trace or tracing) with enable near5 bit	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/25 16:40
S31	0	(712/227.ccls. or "7"??.clas. or "3"??.clas.) (monitor\$4 near5 (domainor mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:04
S32	0	(monitor\$4 near5 (domainor mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:04
S33	1285	(monitor\$4 near5 (domainor or mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:05
S34	1192	("7"??.clas. or "3"??.clas.) (monitor\$4 near5 (domain or mode)) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:06
S35	170	("7"??.clas. or "3"??.clas.) (monitor\$4 near5 domain) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:30

		EAST Scare	,			
S36	23	("7"??.clas. or "3"??.clas.) (monitor\$4 near5 domain) chang\$4 near5 domain (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:10
S37	220	("7"??.clas. or "3"??.clas.) (secure near5 domain) (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:30
S38	127	("7"??.clas. or "3"??.clas.) (secure near5 domain) with monitor\$4 (authentication or identification) near5 code	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:36
S39	140	("7"??.clas. or "3"??.clas.) (secure near5 domain) with monitor\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:37
S40	227	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:37
S41	227	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not "rhodes.in"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:37
S42	227	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not rhodes.in.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 10:38
S43	119	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not rhoads.in.	US-PGPUB; USPAT; USOCR; DERWENT	AND .	OFF	2006/04/05 10:42
S44	82	("7"??.clas. or "3"??.clas.) (secure near5 (domain or mode)) with monitor\$4 not rhoads.in. processor	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/04/05 15:41
S45	10643	"two domains"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:55
S46	2	"712".clas. "two domains" with secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:55
S47	2	"712".clas. "two domains" same secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:56

S48	3	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains same secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:56
S49	103	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:56
S50	0	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains secur3?	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:57
S51	0	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains secure?	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 10:57
S52	9	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains secur\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:56
S53	2	"5771390".pn.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:40
S54	2	"6581162".pn.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:40
S55	21	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains with processor	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 11:59
S56	11	"712".clas. (two or multiple or multitude or several or many or plurality) near3 domains with processor (secur\$2 or monitor\$3)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/10/17 12:02